## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.












TITLE: SYSTEM AND METHOD FOR EXTRACTING INFORMATION BASED ON ULTRASOUND-LOCATED LANDMARKS INVENTOR: Bjorn Olstad APPLICATION NO.: unassigned, CONF. NO. ; DOCKET NO. 13109US02 ATTORNEY: TLH, PHONE: 312-775-8000 504 imaging ssue Strain time integration time integration Real-time spatial derivation FIG. 5 +5.0 s<sup>-1</sup> Strain rate velocity 502





TITLE: SYSTEM AND METHOD FOR EXTRACTING INFORMATION BASED ON ULTRASOUND-LOCATED LANDMARKS


INVENTOR: Bjorn Olstad
APPLICATION NO.: unassigned,
CONF. NO. ; DOCKET NO. 13109US02
ATTORNEY: TLH, PHONE: 312-775-8000















FIG. 11



equidistant at start of systole

real-time deformation strain given by change in dimension